



Amendments to the Claims

1. (Currently amended) A compound represented by Formula (1) or Formula (2):



in which Ra and Rb each independently is hydrogen or alkyl of 1 to 20 carbon atoms; in the alkyl, arbitrary -CH₂- may be replaced by -O-, or -CO-, arbitrary -(CH₂)₂- may be replaced by -CH=CH-, and arbitrary hydrogen may be replaced by halogen;

A¹, A¹¹, A¹², A², A²¹ and A²² each independently is 1,4-cyclohexylene, 1,4-phenylene, decahydronaphthalene-2,6-diyl, 1,2,3,4-tetrahydronaphthalene-2,6-diyl, or naphthalene-2,6-diyl; in the rings, one or not-adjacent two -CH₂- may be replaced by -O-, and arbitrary hydrogen may be replaced by halogen;

Y is a single bond, -(CH₂)₂-, -CH=CH-, -CF=CF-, -(CH₂)₄-, -CH=CH-(CH₂)₂-, or -(CH₂)₂-CH=CH-;

W is -CH=CH-, -CH₂O-, -OCH₂-, -CF₂O-, -OCF₂-, -(CH₂)₄-, -(CH₂)₃O-, -O-(CH₂)₃-, -(CH₂)₂CF₂O-, or -OCF₂(CH₂)₂-;








Z¹¹, Z¹², Z², Z²¹ and Z²² each independently is a single bond, -(CH₂)₂-, -COO-, -OCO-, -CH₂O-, -OCH₂-, -CF₂O-, -OCF₂-, -CH=CH-, -CF=CF-, -(CH₂)₄-, -(CH₂)₃O-, -O-(CH₂)₃-, -CH=CH-(CH₂)₂-, -(CH₂)₂-CH=CH-, -(CH₂)₂CF₂O-, or -OCF₂(CH₂)₂-;









j, k, m, n, p and q each independently is 0 or 1, and the sum of them is 1, 2 or 3;

each of j and k is 0 when m is 0, Ra in Formula (1) is none of hydrogen, alkoxy and alkoxymethyl when m is 0, and Ra in Formula (2) is 1-alkenyl[[,]] when m is 0.

2. (Original) The compound according to claim 1, wherein the sum of j, k and m, and the sum of n, p and q each independently is 1 or 2.

3. (Previously presented) The compound according to claim 1, which is represented by any one of Formula (1-1) to Formula (1-9) and Formula (2-1) to Formula (2-9),





in which Ra and Rb each independently is hydrogen or alkyl of 1 to 20 carbon atoms; in the alkyl, arbitrary -CH₂- not situated on the terminal may be replaced by -O-, or -CO-, arbitrary -(CH₂)₂- may be replaced by -CH=CH-, and arbitrary hydrogen may be replaced by halogen;

A¹, A¹¹, A¹², A², A²¹ and A²² each independently is 1,4-cyclohexylene, 1,4-phenylene, decahydronaphthalene-2,6-diyl, 1,2,3,4-tetrahydronaphthalene-2,6-diyl, or naphthalene-2,6-diyl; and in the rings, one or not-adjacent two -CH₂- may be replaced by -O-, and arbitrary hydrogen may be replaced by halogen;

Y is a single bond, $-(CH_2)_2-$, $-CH=CH-$, $-CF=CF-$, $-(CH_2)_4-$, $-CH=CH-(CH_2)_2-$, or $-(CH_2)_2-CH=CH-$;

W is $-CH=CH-$, $-CH_2O-$, $-OCH_2-$, $-CF_2O-$, $-OCF_2-$, $-(CH_2)_4-$, $-(CH_2)_3O-$, $-O-(CH_2)_3-$, $-(CH_2)_2CF_2O-$, or $-OCF_2(CH_2)_2-$;

Z^{11} , Z^{12} , Z^2 , Z^{21} and Z^{22} each independently is a single bond, $-(CH_2)_2-$, $-COO-$, $-OCO-$, $-CH_2O-$, $-OCH_2-$, $-CF_2O-$, $-OCF_2-$, $-CH=CH-$, $-CF=CF-$, $-(CH_2)_4-$, $-(CH_2)_3O-$, $-O-(CH_2)_3-$, $-CH=CH-(CH_2)_2-$, $-(CH_2)_2-CH=CH-$, $-(CH_2)_2CF_2O-$, or $-OCF_2(CH_2)_2-$;

Ra is none of hydrogen, alkoxy and alkoxymethyl in Formula (1-2), Formula (1-5) and formula (1-9); and Ra is 1-alkenyl in Formula (2-2), Formula (2-5) and Formula (2-9).

4. (Previously presented) The compound according to claim 3, wherein Ra and Rb each independently is alkyl of 1 to 10 carbon atoms, alkoxy of 1 to 10 carbon atoms, alkoxyalkyl of 2 to 10 carbon atoms, alkenyl of 2 to 10 carbon atoms, alkenyloxy of 3 to 10 carbon atoms, perfluoroalkyl of 1 to 10 carbon atoms, or perfluoroalkoxy of 1 to 10 carbon atoms;

A^1 , A^{11} , A^{12} , A^2 , A^{21} and A^{22} each independently is 1,4-cyclohexylene, 1,3-dioxane-2,5-diyl, 4,6-dioxane-2,5-diyl, 1,4-phenylene, 2-fluoro-1,4-phenylene, 3-fluoro-1,4-phenylene, 2,3-difluoro-1,4-phenylene, decahydronaphthalene-2,6-diyl, 1,2,3,4-tetrahydronaphthalene-2,6-diyl, or naphthalene-2,6-diyl;

Z^{11} and Z^{12} each independently is a single bond, $-(CH_2)_2-$, $-COO-$, $-OCO-$, $-CF_2O-$, $-OCF_2-$, $-CH=CH-$, $-(CH_2)_4-$, $-CH=CH-(CH_2)_2-$, $-(CH_2)_2-CH=CH-$, $-(CH_2)_2CF_2O-$, or $-OCF_2(CH_2)_2-$;

Z^2 , Z^{21} and Z^{22} each independently is a single bond, $-(CH_2)_2-$, $-COO-$, $-OCO-$, $-CH_2O-$, $-OCH_2-$, $-CF_2O-$, $-OCF_2-$, $-CH=CH-$, $-CF=CF-$, $-(CH_2)_4-$, $-(CH_2)_3O-$, $-O-(CH_2)_3-$, $-CH=CH-(CH_2)_2-$, $-(CH_2)_2-CH=CH-$, $-(CH_2)_2CF_2O-$, or $-OCF_2(CH_2)_2-$;

Y is a single bond, $-(CH_2)_2-$, $-CH=CH-$, or $-(CH_2)_4-$; and

W is $-CH_2O-$, $-OCH_2-$, $-CF_2O-$, $-OCF_2-$, $-CH=CH-$, $-(CH_2)_4-$, $-(CH_2)_3O-$, $-O-(CH_2)_3-$, $-(CH_2)_2CF_2O-$, or $-OCF_2(CH_2)_2-$.

5. (Previously presented) The compound according to claim 3, wherein Ra and Rb each independently is alkyl of 1 to 10 carbon atoms, alkoxy of 1 to 10 carbon atoms, alkoxyalkyl of 2 to 10 carbon atoms, or alkenyl of 2 to 10 carbon atoms;

A^1 , A^{11} , A^{12} , A^2 , A^{21} and A^{22} each independently is 1,4-cyclohexylene, 1,4-phenylene, 2-fluoro-1,4-phenylene, 3-fluoro-1,4-phenylene, or 2,3-difluoro-1,4-phenylene;

Z^{11} and Z^{12} each independently is a single bond, $-(CH_2)_2-$, $-CF_2O-$, $-OCF_2-$, $-CH=CH-$, $-(CH_2)_4-$, $CH=CH-(CH_2)_2-$, $-(CH_2)_2-CH=CH-$, $-(CH_2)_2CF_2O-$, or $-OCF_2(CH_2)_2-$;

Z^2 , Z^{21} and Z^{22} each independently is a single bond, $-(CH_2)_2-$, $-CH_2O-$, $-OCH_2-$, $-CF_2O-$, $-OCF_2-$, $-CH=CH-$, $-(CH_2)_2CF_2O-$, or $-OCF_2(CH_2)_2-$;

Y is a single bond, $-(CH_2)_2-$, $-CH=CH-$, or $-(CH_2)_4-$; and

W is $-CH_2O-$, $-OCH_2-$, $-CF_2O-$, $-OCF_2-$, $-CH=CH-$, $-(CH_2)_4-$, $-(CH_2)_3-O-$, $-O-(CH_2)_3-$, $-(CH_2)_2CF_2O-$, or $-OCF_2(CH_2)_2-$.

6. (Previously presented) The compound according to claim 3, wherein Ra is alkyl of 1 to 10 carbon atoms or alkenyl of 2 to 10 carbon atoms, and Rb is alkoxy of 1 to 10 carbon atoms;

A^1 , A^{11} , A^{12} , A^2 , A^{21} and A^{22} each independently is 1,4-cyclohexylene, 1,4-phenylene, 2-fluoro-1,4-phenylene, or 3-fluoro-1,4-phenylene;

Z^{11} and Z^{12} each independently is a single bond, or $-CH=CH-$;

Z^2 , Z^{21} and Z^{22} each independently is a single bond, $-CH_2O-$, $-OCH_2-$, $-CF_2O-$, or $-OCF_2-$;

Y is a single bond, $-(CH_2)_2-$, $-CH=CH-$, or $-(CH_2)_4-$; and

W is $-CH_2O-$, $-OCH_2-$, $-CF_2O-$, $-OCF_2-$, $-CH=CH-$, $-(CH_2)_4-$, $-(CH_2)_3-O-$, $-O-(CH_2)_3-$, $-(CH_2)_2CF_2O-$, or $-OCF_2(CH_2)_2-$.

7. (Previously presented) The compound according to claim 3, wherein A^1 or A^2 is 1,4-cyclohexylene.

8. (Previously presented) The compound according to claim 3, wherein A^1 or A^2 is 1,4-phenylene.

9. (Previously presented) The compound according to claim 3, wherein Y or Z^2 is a single bond in Formula (1-1) to Formula (1-9), and Z^2 is a single bond in Formula (2-1) to Formula (2-9).

10. (Previously presented) The compound according to claim 3, wherein A^1 or A^2 is 1,4-cyclohexylene, Y or Z^2 is a single bond in Formula (1-1) to Formula (1-9), and Z^2 is a single bond in Formula (2-1) to Formula (2-9).
11. (Cancelled)
12. (Previously presented) The compound according to claim 3, which is represented by any one of Formula (2-1), Formula (2-3), Formula (2-4), Formula (2,6), Formula (2-7) and Formula (2-8); in which A^1 is 1,4-cyclohexylene.
13. (Previously presented) The compound according to claim 3, which is represented by Formula (2-1); in which A^1 is 1,4-cyclohexylene, and W is $-\text{CH}_2\text{O}-$, or $-\text{CF}_2\text{O}-$.
14. (Previously presented) The compound according to claim 3, which is represented by Formula (2-3); in which any of A^1 and A^{11} is 1,4-cyclohexylene, Z^{11} is a single bond, and W is $-\text{CH}_2\text{O}-$ or $-\text{CF}_2\text{O}-$.
15. (Previously presented) The compound according to claim 3, which is represented by Formula (2-6); in which any of A^1 , A^{11} and A^{12} is 1,4-cyclohexylene; any of Z^{11} and Z^{12} is a single bond; and W is $-\text{CH}_2\text{O}-$ or $-\text{CF}_2\text{O}-$.
16. (Previously presented) The compound according to claim 3, which is represented by any one of Formula (1-2), Formula (1-4), Formula (1-5), Formula (1-7), Formula (1-8), and Formula (1-9); in which Z^2 is $-\text{CH}_2\text{O}-$, $-\text{OCH}_2-$, $-\text{CF}_2\text{O}-$ or $-\text{OCF}_2-$.
17. (Original) The compound according to claim 3, which is represented by Formula (1-3); in which R_a is alkyl of 1 to 10 carbon atoms or alkenyl of 2 to 10 carbon atoms, R_b is alkoxy of 1 to 10 carbon atoms, any of A^1 and A^{11} is 1,4-cyclohexylene, and any of Y and Z^{11} is a single bond.

18. (Original) The compound according to claim 3, which is represented by Formula (1-3); in which Ra is alkyl of 1 to 10 carbon atoms or alkenyl of 2 to 10 carbon atoms, Rb is alkoxy of 1 to 10 carbon atoms, any of A^I and A^{II} is 1,4-cyclohexylene, Y is -CH₂CH₂-, and Z^{II} is a single bond.

19. (Original) The compound according to claim 3, which is represented by Formula (1-3); in which Ra is alkyl of 1 to 10 carbon atoms or alkenyl of 2 to 10 carbon atoms, Rb is alkoxy of 1 to 10 carbon atoms, A^I is 1,4-phenylene, A^{II} is 1,4-cyclohexylene, and any of Y and Z^{II} is a single bond.

20. (Previously presented) The compound according to claim 3, which is represented by Formula (1-3); in which Ra is alkyl of 1 to 10 carbon atoms or alkenyl of 2 to 10 carbon atom, Rb is alkoxy of 1 to 10 carbon atoms, any of A^I and A^{II} is 1,4-phenylene, and any of Y and Z^{II} is a single bond.

21. (Original) The compound according to claim 3, which is represented by Formula (1-1); in which Ra is alkyl of 1 to 10 carbon atoms or alkenyl of 2 to 10 carbon atoms, Rb is alkoxy of 1 to 10 carbon atoms, A^I is 1,4-cyclohexylene, and Y is a single bond.

22. (Original) The compound according to claim 3, which is represented by Formula (1-1); in which Ra is alkyl of 1 to 10 carbon atoms or alkenyl of 2 to 10 carbon atoms, Rb is alkoxy of 1 to 10 carbon atoms, A^I is 1,4-cyclohexylene, and Y is -CH₂CH₂.

23. (Cancelled)

24. (Original) The compound according to claim 3, which is represented by Formula (2-1); in which Ra is alkyl of 1 to 10 carbon atoms or alkenyl of 2 to 10 carbon atoms, Rb is alkoxy of 1 to 10 carbon atoms, A^I is 1,4-cyclohexylene, and W is -CH₂O-.

25-26. (Cancelled)

27. (Original) The compound according to claim 3, which is represented by Formula (2-3); in which Ra is alkyl of 1 to 10 carbon atoms or alkenyl of 2 to 10 carbon atoms, Rb is alkoxy of 1 to 10 carbon atoms, any of A¹ and A¹¹ is 1,4-cyclohexylene, Z¹¹ is a single bond, and W is -CH₂O-.

28-29. (Cancelled)

30. (Previously presented) The compound according to claim 3, which is represented by Formula (2-6); in which Ra is alkyl of 1 to 10 carbon atoms or alkenyl of 2 to 10 carbon atoms, Rb is alkoxy of 1 to 10 carbon atoms, any of A¹, A¹¹ and A¹² is 1,4-cyclohexylene; any of Z¹¹ and Z¹² is a single bond, and W is -CH₂O-.

31. (Original) The compound according to claim 3, which is represented by Formula (1-2); in which Ra is alkyl of 1 to 10 carbon atoms, Rb is alkyl of 1 to 10 carbon atoms or alkenyl of 2 to 10 carbon atoms, A² is 1,4-cyclohexylene, and Z² is -OCH₂-.

32. (Original) The compound according to claim 3, which is represented by Formula (1-5); in which Ra is alkyl of 1 to 10 carbon atoms, Rb is alkyl of 1 to 10 carbon atoms or alkenyl of 2 to 10 carbon atoms, any of A² and A²¹ is 1,4-cyclohexylene, Z² is -OCH₂-, and Z²¹ is a single bond.




33. (Original) The compound according to claim 3, which is represented by Formula (1-4); in which Ra and Rb each independently is alkyl of 1 to 10 carbon atoms or alkenyl of 2 to 10 carbon atoms, any of A¹ and A² is 1,4-phenylene, and any of Y and Z² is a single bond.

34. (Original) The compound according to claim 3, which is represented by Formula (1-4); in which Ra and Rb each independently is alkyl of 1 to 10 carbon atoms or alkenyl of 2 to 10 carbon atoms, A¹ is 1,4-cyclohexylene, A² is 1,4-phenylene, and any of Y and Z² is a single bond.

35. (Original) The compound according to claim 3, which is represented by Formula (1-4); in which Ra and Rb each independently is alkyl of 1 to 10 carbon atoms or alkenyl of 2 to 10 carbon atoms, A¹ is 1,4-phenylene, A² is 1,4-cyclohexylene, and any of Y and Z² is a single bond.




36. (Original) A liquid crystal composition which contains at least one of the compounds described in claim 1 and may contain at least one optically active compound.

37. (Original) A liquid crystal composition which contains at least one of the compounds described in claim 1 and at least one compound selected from the group consisting of compounds represented by Formula (3), Formula (4), and Formula (5) respectively, and may contain at least one optically active compound:







in which R¹ is alkyl of 1 to 10 carbon atoms; in the alkyl, arbitrary -CH₂- may be replaced by -O-, arbitrary -(CH₂)₂- may be replaced by -CH=CH-, and arbitrary hydrogen may be replaced by fluorine; X¹ is fluorine, chlorine, -OCF₃, -OCHF₂, -CF₃, -CHF₂, -CH₂F, -OCF₂CHF₂ or -OCF₂CHFCF₃; B¹ and D each independently is 1,4-cyclohexylene, 1,4-phenylene, 1,3-dioxane-2,5-diyl, or 1,4-phenylene in which at least one hydrogen is replaced by fluorine; E is 1,4-cyclohexylene, 1,4-phenylene, or 1,4-phenylene in which at least one hydrogen is replaced by fluorine; Z⁴ and Z⁵ each independently is -(CH₂)₂-, -(CH₂)₄-, -COO-, -CF₂O-, -OCF₂-, -CH=CH-, or a single bond; and L¹ and L² each independently is hydrogen or fluorine.

38. (Original) A liquid crystal composition which contains at least one of the compounds described in claim 1 and at least one compound selected from the group consisting of compounds represented by Formula (6-1), Formula (6-2), and Formula (7) respectively, and may contain at least one optically active compound:





in which R^2 and R^3 each independently is alkyl of 1 to 10 carbon atoms; in the alkyl, arbitrary CH_2 - may be replaced by $-\text{O}-$, arbitrary $-(\text{CH}_2)_2$ - may be replaced by $-\text{CH}=\text{CH}-$, and arbitrary hydrogen may be replaced by fluorine; X^2 is $-\text{CN}$ or $-\text{C}\equiv\text{C}-\text{CN}$; G is 1,4-cyclohexylene, 1,4-phenylene, 1,3-dioxane-2,5-diyl, or pyrimidine-2,5-diyl; J is 1,4-cyclohexylene, 1,4-phenylene, pyrimidine-2,5-diyl or 1,4-phenylene in which at least one hydrogen is replaced by fluorine; Z^6 is $-(\text{CH}_2)_2$ -, $-\text{COO}-$ -, $-\text{CF}_2\text{O}-$, OCF_2 - or a single bond; L^3 , L^4 and L^5 each independently is hydrogen or fluorine; and b , c and d each independently is 0 or 1.

39. (Original) A liquid crystal composition which contains at least one of the compounds described in claim 1 and at least one compound selected from the group consisting of compounds represented by Formula (8), Formula (9), Formula (10), Formula (11) and Formula (12) respectively, and may contain at least one optically active compound:






in which R^4 is alkyl of 1 to 10 carbon atoms and R^5 is fluorine or alkyl of 1 to 10 carbon atoms; in the alkyls, arbitrary $-\text{CH}_2-$ may be replaced by $-\text{O}$, arbitrary $-(\text{CH}_2)_2-$ may be replaced by $-\text{CH}=\text{CH}-$ and arbitrary hydrogen may be replaced by fluorine; M and P^1 each independently is 1,4-cyclohexylene, 1,4-phenylene, or decahydro-2,6-naphthylene; Z^7 and Z^8 each independently is $-(\text{CH}_2)_2-$, $-\text{COO}-$, or a single bond; L^6 and L^7 each independently is hydrogen or fluorine; and at least one of L^6 and L^7 is fluorine.

40. (Original) A liquid crystal composition which contains at least one of the compounds described in claim 1 and at least one compound selected from the group consisting of compounds represented by Formula (13), Formula (14) and Formula (15) respectively, and may contain at least one optically active compound:





in which R^6 and R^7 each independently is alkyl of 1 to 10 carbon atoms; in the alkyl, arbitrary $-CH_2-$ may be replaced by $-O-$, arbitrary $-(CH_2)_2-$ may be replaced by $-CH=CH-$, and arbitrary hydrogen may be replaced by fluorine; Q, T and U each independently is 1,4-cyclohexylene, 1,4-phenylene, pyrimidine-2,5-diyl, or 1,4-phenylene in which at least one hydrogen is replaced by fluorine; and Z^9 and Z^{10} each independently is $-C\equiv C-$, $-COO-$, $-(CH_2)_2-$, $-CH=CH-$, $-CH_2O-$, or a single bond.

41. (Original) The liquid crystal composition according to claim 37, which further contains at least one compound selected from the group consisting of compounds represented by Formula (6-1), Formula (6-2) and Formula (7), respectively:






in which R^2 and R^3 each independently is alkyl of 1 to 10 carbon atoms; in the alkyl, arbitrary $-CH_2-$ may be replaced by $-O-$, arbitrary $-(CH_2)_2-$ may be replaced by $-CH=CH-$, and arbitrary hydrogen may be replaced by fluorine; X^2 is $-CN$ or $-C\equiv C-CN$; G is 1,4-cyclohexylene, 1,4-phenylene, 1,3-dioxane-2,5-diyl, or pyrimidine-2,5-diyl; J is 1,4-cyclohexylene, 1,4-phenylene, pyrimidine-2,5-diyl, or 1,4-phenylene in which at least one hydrogen is replaced by fluorine; Z^6 is $-(CH_2)_2-$, $-COO-$, $-CF_2O-$, $-OCF_2-$ or a single bond; L^3 , L^4 and L^5 each independently is hydrogen or fluorine; and b, c, and d each independently is 0 or 1.

42. (Original) The liquid crystal composition according to claim 37, which further contains at least one compound selected from the group consisting of compounds represented by Formula (13), Formula (14) and Formula (15), respectively:



in which R^6 and R^7 each independently is alkyl of 1 to 10 carbon atoms; in the alkyl, arbitrary CH_2 - may be replaced by $-\text{O}-$, arbitrary $-(\text{CH}_2)_2$ - may be replaced by $-\text{CH}=\text{CH}-$, and arbitrary hydrogen may be replaced by fluorine; Q, T and U each independently is 1,4-cyclohexylene, 1,4-phenylene, pyrimidine-2,5-diyl, or 1,4-phenylene in which at least one hydrogen is replaced by fluorine; and Z^9 and Z^{10} each independently is $-\text{C}\equiv\text{C}-$, $-\text{COO}-$, $-(\text{CH}_2)_2$ -, $-\text{CH}=\text{CH}-$, $-\text{CH}_2\text{O}-$, or a single bond.




43. (Original) The liquid crystal composition according to claim 38, which further contains at least one compound selected from the group consisting of compounds represented by Formula (13), Formula (14) and Formula (15), respectively:



in which R^6 and R^7 each independently is alkyl of 1 to 10 carbon atoms; in the alkyl, arbitrary CH_2 - may be replaced by $-\text{O}-$, arbitrary $-(\text{CH}_2)_2$ - may be replaced by $-\text{CH}=\text{CH}-$, and arbitrary hydrogen may be replaced by fluorine; Q, T and U each independently is 1,4-cyclohexylene, 1,4-

phenylene, pyrimidine-2,5-diyl, or 1,4-phenylene in which at least one hydrogen is replaced by fluorine; and Z^9 and Z^{10} each independently is $-C\equiv C-$, $-COO-$, $-(CH_2)_2-$, $-CH=CH-$, $-CH_2O-$, or a single bond.

44. (Original) The liquid crystal composition according to claim 39, which further contains at least one compound selected from the group consisting of compounds represented by Formula (13), Formula (14) and Formula (15), respectively:



in which R^6 and R^7 each independently is alkyl of 1 to 10 carbon atoms; in the alkyl, arbitrary $-CH_2-$ may be replaced by $-O-$, arbitrary $-(CH_2)_2-$ may be replaced by $-CH=CH-$, and arbitrary hydrogen may be replaced by fluorine; Q, T and U each independently is 1,4-cyclohexylene, 1,4-phenylene, pyrimidine-2,5-diyl, or 1,4-phenylene in which at least one hydrogen is replaced by fluorine; and Z^9 and Z^{10} each independently is $-C\equiv C-$, $-COO-$, $-(CH_2)_2-$, $-CH=CH-$, $-CH_2O-$, or a single bond.

45. (Cancelled)

46. (Previously presented) A liquid crystal display device containing the liquid crystal composition described in claim 36.